مقایسه اثر درمان فعّالسازی رفتاریِ گروهی و شناخت درمانیِ گروهی بر هیجانهای مثبت و منفی و فرایندهای تنظیمهیجان

Comparison of the Effect of Group Behavioral Activation Treatment and Group Cognitive Therapy on Positive and Negative Emotions, and Emotional Regulation Processes

Mehdi Soleimani, Ph.D.*

Tehran University of Medical Sciences

Parvaneh Mohammadkhani, Ph.D.

University of Social Welfare and Rehabilitation sciences

Behrooz Dolatshahi, Ph.D.

University of Social Welfare and Rehabilitation sciences

دکتر مهدی سلیمانی
دانشگاه علوم پزشکی تهران
دکتر پروانه محمدخانی
دانشگاه علومبهزیستی و توان بخشی
دکتر بهروز دولتشاهی
دانشگاه علومبهزیستی و توان بخشی

چکیده: هدف از پژوهش حاضر، مقایسه اثر درمان فعال سازیِ رفتاریِ گروهی و شناختدرمانیِ گروهی بـر هیجـانهـای مثبت و منفی و فراینـدهای تنظیم هیجـان بـود. شرکتکنندگان ۲۷ نفر از دانشجویان دانشگاههای تهران با علائم افسردگی و اضطرابِ فرونشانگانی بودند که با روش نمونه گیری هدفمند انتخاب شدند و سپس بهطور تصادفی به دو گروه تقسیم شدند. یک گروه تحت ۸ جلسه درمـان فعـال سـازی رفتـاری گروهـی قـرار گرفتنـد و گـروه دیگـر در ۸ جلسـهٔ شـناختدرمانی گروهـی شـرکت کردنـد. شرکتکنندگان پیش از درمان و پس از درمان مقیاس عاطفه مثبت و عاطفه منفی (PANAS) و پـرسشــنامه تنـظیم هیجـان (ERQ) را تـکمیل کــردند. نتـایــج نشـان میدهند کـه بـه لحاظ افـزایش هیجـانهـای مثبت، درمان فعالسازی رفتاریِ گروهی تفاوت معناداری بـین ایـن دو درمان دیم نمی شود. از نظر هیجان منفی تفاوت معناداری بـین ایـن دو درمان دیم نصره شود. از نظر فرایندهای تغلیم هیجان تفاوتهایی بین این دو درمان مشاهده شد.

Abstract: The purpose of the present study was to compare the effect of group behavioral activation treatment (BA) and group cognitive therapy (CT) on positive and negative emotions and emotional regulation processes. The sample consisted of 27 university students with subsyndromal anxiety and depressive symptoms who were selected through purposeful sampling and then were randomly assigned to two groups. One group received 8 sessions of BA and the other group received 8 sessions of CT. Participants completed the Positive Affect and Negative Affect Scale and the Emotional Regulation Questionnaire before and after the treatments. Results indicated that BA was superior to CT on increasing positive emotions but the both treatments were equal on decreasing negative emotions. There were some differences between the both treatments in emotional regulation processes.

کلیدواژهها: درمان فعال سازی رفتاری گروهی؛ شناخت درمانی؛ هیجانهای مثبت و منفی؛ تنظیم هیجان

Keywords: group behavioral activation treatment; group cognitive therapy; positive & negative emotions; emotional regulation

صفحات ۷-۲۷

^{*}msoleimani@tums.ac.ir